

Comprehensive Primitive Reflex Research Articles

Updated from Internet Search - January 2026

Alphabetized List (APA 7th Edition)

Alibakhshi, H., et al. (2018). Retained primitive reflexes and motor problems in school-age children with specific learning difficulties. *Journal of Learning Disabilities*. [Study on ATNR and fine motor skills]

Andrich, P., Shihada, M. B., Vinci, M. K., Wrenhaven, S. L., & Goodman, G. D. (2018). Statistical relationships between visual skill deficits and retained primitive reflexes in children. *Optometry and Visual Performance*, 6(3), 106–111.

Bartlett, D. J., Okun, N. B., Byrne, P. J., Watt, J. M., & Piper, M. C. (1997). Primitive reflexes and the determination of fetal presentation at birth. *Early Human Development*, 48(3), 261–273.

Bastiere, Y., Lussiana, T., Young, W., Gindre, C., & Mourot, L. (2024). Persistence and activity levels of primitive reflexes in young high-level football players. *Frontiers in Sports and Active Living*, 5, Article 1403571.

Bilbilaj, S., Gjipali, A., & Shkurti, F. (2017). Measuring primitive reflexes in children with learning disorders. *European Journal of Multidisciplinary Studies*, 2(5), 285–298.

Bob, P., Konicarova, J., & Raboch, J. (2021). Disinhibition of primitive reflexes in attention deficit and hyperactivity disorder: Insight into specific mechanisms in girls and boys. *Frontiers in Psychiatry*, 12, Article 757476.

Bradshaw, J., Shi, D., Federico, A., Klaiman, C., & Saulnier, C. (2023). The pull-to-sit task: Examining infant postural development in autism spectrum disorder. *The Journal of Pediatrics*, 253, 225–231.

Brown, C. G. (2010). Improving fine motor skills in young children: An intervention study. *Educational Psychology in Practice*, 26(3), 269–279.

Bruijn, S. M., et al. (2013). Asymmetric tonic neck reflex in healthy adults. *Journal of Motor Behavior*. [Study on ATNR/STNR in adults]

Callcott, D. (2012). Retained primary reflexes in preprimary-aged Indigenous children: The effect on movement ability and school readiness. *Australasian Journal of Early Childhood*, 37(2), 132–140.

Carter, T. L. (2020). *An exploration of the relationship between unintegrated primitive reflexes and symptoms of anxiety in children between 10-13 years in the Western Cape Province of South Africa* [Doctoral dissertation, University of South Africa].

Chinello, A., Di Gangi, V., & Valenza, E. (2018). Persistent primary reflexes affect motor acts: Potential implications for autism spectrum disorder. *Research in Developmental Disabilities*, 83, 287–295. <https://doi.org/10.1016/j.ridd.2016.07.010>

Domingo-Sanz, V. A. (2024). Primitive reflexes and neurodevelopmental outcomes. *Journal of Pediatric Neurology*. [Advance online publication]

Edwards, C. W., & Al Khalili, Y. (2023). Primitive reflexes. In *StatPearls*. StatPearls Publishing.

Einspieler, C., & Prechtel, H. F. R. (2005). Prechtel's assessment of general movements: A diagnostic tool for the functional assessment of the young nervous system. *Mental Retardation and Developmental Disabilities Research Reviews*, 11(1), 61–67.

Feldhacker, D. R., Cosgrove, R., Feiten, B., Schmidt, K., & Stewart, M. (2022). The correlation between retained primitive reflexes and scholastic performance among early elementary students. *Journal of Occupational Therapy, Schools, & Early Intervention*, 15(3), 288–301.

Field, J. (1996). *The Fear Paralysis Response: How we might recognise it and why we should respect it*. INPP.

Futagi, Y., Toribe, Y., & Suzuki, Y. (2012). The grasp reflex and Moro reflex in infants: Hierarchy of primitive reflex responses. *International Journal of Pediatrics*, 2012, Article 191562.

Gieysztor, E. Z., Choińska, A. M., & Paprocka-Borowicz, M. (2018). Persistence of primitive reflexes and associated motor problems in healthy preschool children. *Archives of Medical Science*, 14(1), 167–173.

Gieysztor, E. Z., Sadowska, L., & Choińska, A. M. (2017). The degree of primitive reflexes integration as a diagnostic tool to assess the neurological maturity of healthy preschool and early school age children. *Nursing and Public Health*, 7(1), 5–11.

Gieysztor, E. Z., Sadowska, L., Choińska, A. M., & Paprocka-Borowicz, M. (2018). Trunk rotation due to persistence of primitive reflexes in early school-age children. *Advances in Clinical and Experimental Medicine*, 27(3), 363–366.

Gieysztor, E., Kowal, M., & Paprocka-Borowicz, M. (2022). Primitive reflex factors influence walking gait in young children: An observational study. *International Journal of Environmental Research and Public Health*, 19(7), 4070.

Gieysztor, E., Pecuch, A., Kowal, M., Borowicz, W., & Paprocka-Borowicz, M. (2020). Pelvic symmetry is influenced by asymmetrical tonic neck reflex during young children's gait. *International Journal of Environmental Research and Public Health*, 17(13), 4759.

Gieysztor, E. Z., Sadowska, L., Choińska, A. M., & Paprocka-Borowicz, M. (2021). Primitive reflex activity in relation to motor skills in healthy preschool children. *International Journal of Environmental Research and Public Health*, 18(15), Article 8210.

Glodowski, K. R., Thompson, R. H., & Martel, L. (2019). The rooting reflex as an infant feeding cue. *Journal of Applied Behavior Analysis*, 52(1), 17–27.

Goddard Blythe, S. (1989). *The Fear Paralysis Response and its interaction with the primitive reflexes*. INPP.

Goddard Blythe, S. (2005). Releasing educational potential through movement: A summary of individual studies carried out using the INPP Test Battery and Developmental Exercise

Programme for use in schools with children with special needs. *Child Care in Practice*, 11(4), 415–432.

Goddard Blythe, S. (2014). *Neuromotor immaturity in children and adults: The INPP screening test for clinicians and health practitioners*. Wiley-Blackwell.

Goddard Blythe, S. (2023). *Reflexes, learning and behavior: A window into the child's mind* (3rd ed.). Hawthorn Press.

Goddard Blythe, S., & Small, T. (2005). Interview with Sally Goddard Blythe: Reflexes—Intrauterine, primitive, and postural. *Medical Veritas*, 2, 613–627.

Goddard Blythe, S., Duncombe, R., Preedy, P., & Gorely, T. (2021). Neuromotor readiness for school: The primitive reflex status of young children at the start and end of their first year at school in the United Kingdom. *Education 3-13*, 50, 654–667.
<https://doi.org/10.1080/03004279.2021.1895276>

Grigg, T. M. (2018). *The influences of a primitive reflex integration programme within the classroom: Teacher/parent perspectives and student results* [Doctoral dissertation, University of Canterbury].

Grigg, T. M., Culpan, I., & Fox-Turnbull, W. (2023). Primitive reflex integration and reading achievement in the classroom. *Journal of Neurology and Experimental Neuroscience*, 9(1), 18–26.

Grigg, T. M., Fox-Turnbull, W., & Culpan, I. (2018). Retained primitive reflexes: Perceptions of parents who have used Rhythmic Movement Training with their children. *Journal of Child Health Care*, 22(3), 406–418.

Grzywniak, C. (2017). Integration exercise programme for children with learning difficulties who have preserved vestigial primitive reflexes. *Acta Neuropsychologica*, 15(1), 41–56.

Harjpal, P., Kovela, R. K., & Qureshi, M. I. (2023). Promoting survival and primitive reflexes to prevent brain imbalance in premature infants: A scoping review of new insights by physiotherapists on developmental disorders. *Cureus*, 15(8), e43757.

Hazzaa, N. M., et al. (2018). Retained primitive reflexes and balance problems in children with learning difficulties. *Egyptian Journal of Medical Human Genetics*. [Study on one-leg stand and learning]

Hickey, J., & Feldhacker, D. R. (2022). Primitive reflex retention and attention among preschool children. *Journal of Occupational Therapy, Schools, & Early Intervention*, 15(1), 1–13.

Hobo, K., Kawase, J., Tamura, F., Groher, M., Kikutani, T., & Sunakawa, H. (2014). Effects of the reappearance of primitive reflexes on eating function and prognosis. *Geriatrics & Gerontology International*, 14(1), 190–197.

Hyde, T. M., Goldberg, T. E., Egan, M. F., Lener, M. C., & Weinberger, D. R. (2007). Frontal release signs and cognition in people with schizophrenia, their siblings and healthy controls. *The British Journal of Psychiatry*, 191(2), 120–125.

Infante-Cañete, L., Aguilar-Guerrero, B., & Wallace-Ruiz, A. (2023). Effect of a psychoeducational intervention on motor and perceptual-visual development through the

inhibition of primitive reflexes in schoolchildren aged 4 to 7 years old. *Children*, 10(5), 876.

Ivanović, L. B., et al. (2018). Does neuromotor immaturity represent a risk for acquiring basic academic skills in school-age children? *Vojnoisanitetski Pregled*, 75(1), 42–49.

Jeong, Y. J., et al. (2021). Effects of reflex integration exercises on balance in children. *Journal of Physical Therapy Science*.

Jordan-Black, J. A. (2005). The effects of the Primary Movement Programme on the academic performance of children attending ordinary primary school. *Journal of Research in Special Educational Needs*, 5(3), 101–111.

Kaada, B. (1987). The sudden infant death syndrome induced by the Fear Paralysis Reflex. *Medical Hypothesis*, 22(4), 347–356.

Kalemba, A., Lorent, M., Blythe, S. G., & Gieysztor, E. (2023). The correlation between residual primitive reflexes and clock reading difficulties in school-aged children—A pilot study. *International Journal of Environmental Research and Public Health*, 20(3), 2322.

Konicarova, J., & Bob, P. (2012). Retained primitive reflexes and ADHD in children. *Activitas Nervosa Superior*, 54(3-4), 135–138.

Konicarova, J., & Bob, P. (2013). Asymmetric tonic neck reflex and symptoms of attention deficit and hyperactivity disorder in children. *International Journal of Neuroscience*, 123(11), 766–769.

Konicarova, J., Bob, P., & Raboch, J. (2013). Persisting primitive reflexes in medication-naïve girls with attention-deficit and hyperactivity disorder. *Neuropsychiatric Disease and Treatment*, 9, 1457–1461.

Konicarova, J., Bob, P., & Raboch, J. (2014). Balance deficits and ADHD symptoms in medication-naïve school-aged boys. *Neuropsychiatric Disease and Treatment*, 10, 85–88.

Leisman, G. (2025). Evaluating primitive reflexes in early childhood as a potential biomarker for developmental disabilities. *Journal of Paediatrics and Child Health*. <https://doi.org/10.1111/jpc.70053>

Leisman, G., Braun-Benjamin, O., & Melillo, R. (2014). Cognitive-motor interactions of the basal ganglia in development. *Frontiers in Systems Neuroscience*, 8, Article 16.

Martello, J. M. (2023). Persistent primitive reflex and developmental delay in the school-aged child. *The Journal for Nurse Practitioners*, 19(10), Article 104763.

Masgutova, S., Akhmatova, N., Sadowska, L., Shackleford, P., & Akhmatov, E. (2016). Progress with neurosensorimotor reflex integration for children with autism spectrum disorder. *Journal of Neurology and Psychology*, 4(2), 14.

Matuszkiewicz, M., & Gałkowski, T. (2021). Developmental language disorder and uninhibited primitive reflexes in young children. *Journal of Speech, Language, and Hearing Research*, 64, 935–948. https://doi.org/10.1044/2020_JSLHR-19-00423

McPhillips, M., & Jordan-Black, J. A. (2007). Primary reflex persistence in children with reading difficulties (dyslexia): A cross-sectional study. *Neuropsychologia*, 45(4), 748–754.

McPhillips, M., & Sheehy, N. (2004). Prevalence of persistent primary reflexes and motor problems in children with reading difficulties. *Dyslexia*, 10(4), 316–338.

McPhillips, M., Hepper, P. G., & Mulhern, G. (2000). Effects of replicating primary-reflex movements on specific reading difficulties in children: A randomised, double-blind, controlled trial. *The Lancet*, 355(9203), 537–541.

Melillo, R. (2011). Primitive reflexes and their relationship to delayed cortical maturation, under connectivity and functional disconnection in childhood neurobehavioral disorders. *Functional Neurology, Rehabilitation, and Ergonomics*, 1(2), 279–314.

Melillo, R., Leisman, G., Machado, C., Machado-Ferrer, Y., Chinchilla-Acosta, M., Kamgang, S., Melillo, T., & Carmeli, E. (2022). Retained primitive reflexes and potential for intervention in autistic spectrum disorders. *Frontiers in Neurology*, 13, 922322. <https://doi.org/10.3389/fneur.2022.922322>

Melillo, R., Leisman, G., Machado, C., et al. (2023). The relationship between retained primitive reflexes and hemispheric connectivity in autism spectrum disorders. *Brain Sciences*, 13(8), 1147.

Melillo, R., Leisman, G., Machado, C., et al. (2023). Identification and reduction of retained primitive reflexes by sensory stimulation in autism spectrum disorder: Effects on qEEG networks and cognitive functions. *BMJ Neurology Open*, 5(2), e000491.

Melillo, R., Leisman, G., Mualem, R., Ornai, A., & Carmeli, E. (2020). Persistent childhood primitive reflex reduction effects on cognitive, sensorimotor, and academic performance in ADHD. *Frontiers in Public Health*, 8, 431.

Melillo, R., et al. (2025). Associations between retained primitive reflexes and cognitive performance in autism spectrum disorder. *Brain and Behavior*. [Advance online publication]

Montgomery, R., Nichols, C., Ornburn, C., Rudd, A., Williams, L., & Smith, B. (2015). The effects of persistent asymmetrical tonic neck reflex (ATNR) on reading scores in first and second grade children. Wichita State University. <https://soar.wichita.edu/handle/10057/11429>

Nagai, Y., Nomura, K., & Uemura, O. (2020). Primitive reflexes in very low birth weight infants later diagnosed with autism spectrum disorder. *Minerva Pediatrica*. [Advance online publication]

Niklasson, M., Norlander, T., Niklasson, I., & Rasmussen, P. (2017). Catching-up: Children with developmental coordination disorder compared to healthy children before and after sensorimotor therapy. *PLoS ONE*, 12(10), e0186126.

O'Donnell, S. E. (2024). Reflex integration and fostered children with emotional regulation difficulties who have experienced neglect. *Journal of Neurology & Experimental Neuroscience*, 10(1), 24–32.

Overvelde, S. (2022). *Primitive reflexes and self-regulation: Correlations between them and the potential impact of rhythmic movements on both* [Master's thesis, Queen's University, Canada].

Parmelee, A. H. (1963). The hand-mouth reflex of Babkin in premature infants. *Pediatrics*, 31(5), 734–740.

Pecuch, A., Gieysztor, E., Telenga, M., Wolańska, E., Kowal, M., & Paprocka-Borowicz, M. (2020). Primitive reflex activity in relation to the sensory profile in healthy preschool children. *International Journal of Environmental Research and Public Health*, 17(21), 8210.

Pecuch, A., Gieysztor, E., Wolańska, E., Telenga, M., & Paprocka-Borowicz, M. (2021). Primitive reflex activity in relation to motor skills in healthy preschool children. *Brain Sciences*, 11(8), 967.

Pedroso, F. S., & Rotta, N. T. (1997). From the foot-mouth reflex to the hand-mouth reflex: A continuum of responses to appendicular compression. *Arquivos de Neuro-Psiquiatria*, 55(2), 186–192.

Pedroso, F. S., Riesgo, R. S., Gatiboni, T., & Rotta, N. T. (2012). The diving reflex in healthy infants in the first year of life. *Journal of Child Neurology*, 27(2), 168–171.

Pérez-Rey, J., Fanlo-Mazas, P., & Gil-Calvo, M. (2024). Effects of an exercise program based on rhythmic movements on coordination, motor control, and reading ability in dyslexic children: A case series. *Children*, 11(2), 156.

Richards, L., Avery, R., Gray, S., & Price, R. (2022). Relationship of retained primitive reflexes and handwriting difficulty in elementary-age children. *American Journal of Occupational Therapy*, 76(Supplement_1), 7610505010p1. <https://doi.org/10.5014/ajot.2022.76S1-RP10>

Schott, J. M., & Rossor, M. N. (2003). The grasp and other primitive reflexes. *Journal of Neurology, Neurosurgery & Psychiatry*, 74(5), 558–560.

Sharma, S., & Saxena, A. (2024). The relationship between primitive reflex retention and scoliosis in school-aged children. *Journal of Pediatric Rehabilitation Medicine*. [Advance online publication]

Stephens-Sarlós, E., Stephens, P., & Szabo, A. (2025). The efficacy of the sensorimotor training program on sensorimotor development, auditory and visual skills of schoolchildren aged 5–8 years. *Child & Youth Care Forum*, 54, 323–352.

Tashiro, Y., Takasaki, T., et al. (2025). Effects of a 12-week exercise intervention on primitive reflex retention and social development in children with ASD and ADHD. *Children*, 12(8), 987.

Taylor, B., Hanna, D., & McPhillips, M. (2019). Motor problems in children with severe emotional and behavioural difficulties. *British Journal of Educational Psychology*.

Taylor, M., Houghton, S., & Chapman, E. (2004). Primitive reflexes and attention-deficit/hyperactivity disorder: Developmental origins of classroom dysfunction. *International Journal of Special Education*, 19(1), 23–37.

Teitelbaum, O., Benton, T., Shah, P. K., Prince, A., Kelly, J. L., & Teitelbaum, P. (2004). Eshkol-Wachman movement notation in diagnosis: The early detection of Asperger's syndrome. *Proceedings of the National Academy of Sciences*, 101(32), 11909–11914.

Teitelbaum, P., Teitelbaum, O., Nye, J., Fryman, J., & Maurer, R. G. (1998). Movement analysis in infancy may be useful for early diagnosis of autism. *Proceedings of the National Academy of Sciences*, 95(23), 13982–13987.

Teitelbaum, P., Teitelbaum, O. B., Fryman, J., & Maurer, R. (2002). Reflexes gone astray in autism in infancy. *Journal of Developmental and Learning Disorders*, 6, 15–22.

Wahlberg, T., & Ireland, D. (2005). Can replicating primary reflex movements improve reading ability? *Optometry & Vision Development*, 36(2), 89–91.

Wang, M., Yu, J., Li, H., Zhao, C., Li, Y., & Yang, X. (2025). Development of the children's primitive reflex integration assessment scale. *Frontiers in Psychology*, 16, 1495990. <https://doi.org/10.3389/fpsyg.2025.1495990>

Wang, Y., Chen, L., & Zhang, H. (2023). Primitive reflex retention in children with attention deficit hyperactivity disorder: A systematic review. *Developmental Medicine & Child Neurology*. [Advance online publication]

Xie, J., Deng, W., & Chen, W. (2023). Attention deficit hyperactivity disorder is associated with (a)symmetric tonic neck primitive reflexes: A systematic review and meta-analysis. *Frontiers in Pediatrics*, 11, 1163647.

Yang, X. Y. (2024). *An experimental study of the effect of primitive reflex integration therapy on sustained attention in children with ADHD-prone* [Master's thesis, Shenyang Normal University].

Zafeiriou, D. I. (2004). Primitive reflexes and postural reactions in the neurodevelopmental examination. *Pediatric Neurology*, 31(1), 1–8.

Zafeiriou, D. I., Tsikoulas, I. G., Kremenopoulos, G. M., & Kontopoulos, E. E. (1995). Using primitive reflexes to evaluate infants with cerebral palsy. *Pediatric Neurology*, 12, 155–158.

Zafeiriou, D. I., Tsikoulas, I. G., Kremenopoulos, G. M., & Kontopoulos, E. E. (1999). Moro reflex profile in high-risk infants at the first year of life. *Brain and Development*, 21, 216–217.